



RCE # 1100

REQUEST FOR CONTINUED EXAMINATION (RCE) TRANSMITTAL Address to: Mail Stop RCE Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	Application Number: 09/498,369	Confirmation Number: 8725
	Filing Date: February 4, 2000	
	First Named Inventor: Victor H. SHEAR et al.	
	Group Art Unit: 3629	
	Examiner: Thomas A. DIXON	
	Attorney Docket Number: 07451.0010-01	
Attorney Customer Number: 22,852		

This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.
Request for Continued Examination (RCE) practice under 37 C.F.R. § 1.114 does not apply to any utility or plant application filed prior to June 8, 1995, or to any design application.

1. Submission required under 37 C.F.R. § 1.114: Note: If the RCE is proper, any previously filed unentered amendments and amendments enclosed with the RCE will be entered in the order in which they were filed unless applicant instructs otherwise. If applicant does not wish to have any previously filed unentered amendment(s) entered, application must request non-entry of such amendment.

a. ☒ Submitted herewith:


i. <input checked="" type="checkbox"/> Amendment/Reply	iii. <input checked="" type="checkbox"/> Information Disclosure Statement (submitted under separate cover, courtesy copy attached)
ii. <input type="checkbox"/> Affidavit(s)/Declaration(s)	iv. <input checked="" type="checkbox"/> Three Month Extension of Time

2. Fees

a. ☒ The Director is hereby authorized to charge the following fees, any underpayment of fees, or credit any overpayments, to Deposit Account No. 06-0916:

i. <input checked="" type="checkbox"/> \$790.00 RCE fee required under 37 C.F.R. § 1.17(e)
ii. <input checked="" type="checkbox"/> \$1,020.00 Extension of Time Fee

Signature of Applicant, Attorney, or Agent Required

Name: Andrew B. Schwaab 08/12/2005 SHORELAN 00000007 060916 09498369		Reg. No.: 38,611
Signature: 		Date: July 26, 2005

BEST AVAILABLE COPY

07/28/2005 SZENDIE1 00000091 060916 09498369
01 FC:1801 790.00 DA